



Maitland Road
Lion Barn Business Park
Needham Market, Suffolk
IP6 8NZ, England
Tel: (44) + (0) 1449 721985
Fax: (44) + (0) 1449 721719

For Immediate Release

Contact: Ruth Lucas, Operations Director
Tel: (0) 1449 726800
E-mail: info@masterchemical.co.uk

COOLANT SPECIFICALLY FOR CARBIDE GRINDING

August 2003 – Carbide grinding is the application for which Master Chemical's new TRIM® C120 CG has been formulated. Notable features of this new non-chlorinated coolant include low foam, superior sump life, low odour and improved resistance to cobalt leaching.

TRIM® C120 CG contains no nitrites, secondary amines, nor phenolics. It has been formulated to comply with all current and anticipated health and safety legislation and is therefore classified as non-hazardous under the new CHIP 3 regulations.

This new synthetic minimises cobalt leaching whilst maintaining superior cutting and non-cutting characteristics. In common with all TRIM® products, C120 CG has excellent resistance to bacterial and fungal attack and can be recycled with good tramp oil separation by conventional techniques.

TRIM® C120 CG does not attack wheel bonding systems and although primarily introduced for grinding carbide, it can also be used in the machining of ceramics, chill cast alloys and tool steels.

-ENDS-